

2

Chemical Evolution in Big History

Leonid E. Grinin

*National Research University Higher School of Economics,
Moscow; Institute for Oriental Studies of the Russian Academy
of Sciences, Moscow*

Abstract

Unfortunately, there is insufficient research on the course of chemical evolution within the framework of the study of both Big History and evolution. The lack of attention to chemical evolution is all the more disappointing since it is a very important part of megaevolution and Big History, which at some of its stages even act as the leading line (in particular, in the formation of pre-life on the Earth five billion years ago).

The paper presents a brief history of chemical evolution: from the formation of the first atoms in the Universe to abiogenesis on the Earth, that is, the stage of pre-life and the formation of prerequisites for the emergence of the first living organisms. The history of chemical evolution before life's origin can be divided into three stages: the formation of atoms (pre-evolution); history before the start of the abiogenic phase on the Earth; and abiogenic chemical evolution. However, the author aims to elaborate a more detailed periodization of chemical evolution before life's origin.

One should also pay attention to the important feature of chemical evolution which distinguishes it from other lines of evolution, namely, its co-evolutionary nature. The author demonstrates that chemical evolution at all its stages acted as a part of a co-evolutionary tandem: first, as a part of cosmic and stellar-galactic evolution, then as a part of planetary evolution since it is on planets (where temperature parameters are much more comfortable for chemical reactions) that a new qualitative stage in the development of chemical evolution begins. Finally, on the Earth, it developed first as a part of geochemical evolution, and then as a part of biochemical evolution, and this development continues until now.

Evolution: Complexity in Nature, Society, and Cognition 2023 44–56

DOI: 10.30884/978-5-7057-6261-3_03

Keywords: *chemical evolution, megaevolution, Big History, cosmochemical evolution, co-evolution, biochemical evolution, geochemical evolution, star-galaxy era.*

Introductory Notes

It is strange, but there is little, if any, research on chemical evolution in the framework of the study of Big History. Why? This is a difficult question. Perhaps, no one knows the answer. I do not know it either but I have an idea, which will be presented below. One way or another, considering the chemical line of Big History can significantly enrich our ideas and understanding about the general course of Big History and about the path to increasing complexity. Moreover, without understanding the history of chemical evolution, one can hardly grasp either the mystery of the origin of life and development of life in the early periods.*

The formation of hydrogen and helium atoms in the first period after the Big Bang, and the accumulation of heavy element atoms as a result of the star collapses were the most important events in chemical evolution. However, the formation of atoms cannot be yet considered as a chemical evolution in the full sense of the word. Chemical evolution is *the emergence and development of different and more complex types of molecules and substances*. One should realize that such evolution could hardly begin in a very hot universe, nor could it take place in the depths of stars.

Thus, it is important to realize that chemical reactions:

- a) can occur when the temperature drops to 5,000 degrees, but in fact the most favourable condition for them is at relatively low plus temperatures;
- b) take place constantly in space, even at deep sub-zero temperatures; some of the characteristics of such chemical reactions are known from the studies of gas and dust clouds;
- d) should be even more active within the framework of evolution of planets and other bodies (including comets), as can be inferred from studies of the bodies of the Solar system.

Some chemical compounds could have been formed only during the collapse of stars or on the surface of cooling stars.

* See Bernal 1969; Betekhtin 2007; Galimov 2008; Glyantsev 2019; Guotmi and Cunningham 1960; Degens and Reuter 1967; Dickerson 1981; Dobretsov 2005; Zavarzin 2003; Zaguskin 2014; Calvin 1971; Kamshilov 1970, 1979; Lima de Faria 1991; Rudenko 1969; Spiridonov 2019; Hal-dane 1949; Lyons *et al.* 2014; Grinin 2013, 2017, 2018, 2020; Grinin and Grinin 2019.

Chemical Evolution as a Peripheral and Parallel Line of Big History

Chemical evolution can be regarded as a peripheral and parallel line of Big History. Why? From the above said one can make the following important conclusions: firstly, the chemical evolution could only begin after the cooling of the Universe. Secondly, it always evolved not in the main sequence, that is, not in stars and galaxies, but at the periphery of the Universe. It developed mainly in gas and dust clouds and on peripheral celestial bodies, especially on planets. And consequently, for many billions of years, the ‘achievements’ of chemical evolution have been somewhat invisible (see Figs 1, 2).

Let us now return to the question of why so little attention is paid to the chemical evolution. I believe that one of the main reasons is the parallel development of chemical evolution within Big History. Other reasons are its co-evolution with geological and biological evolution and the fact that we know very little about the abiogenic chemical evolution. This, however, in no way diminishes the role of chemical evolution; but, on the contrary, it makes its study really relevant.

Chemical evolution began even before the star-galaxy era, that is, already in the first millions of years after the Big Bang, in gaseous hydrogen-helium clouds. This is where the first molecules were formed. But, of course, this evolution could not proceed actively without the formation of a sufficient variety of chemical elements. Thus, chemical evolution progressed in parallel with the star-galaxy evolution. At the same time, (in clouds, on planets, in comets and meteorites, *etc.*) there are many dozens of different not only inorganic but also many organic substances, including water, alcohols, acids, monosaccharides and even amino acids, in particular glycine. The synthesis of simple organic substances constantly occurs in various cosmic environments.

We do not know when the first planets formed, but with their emergence, the rate of chemical evolution increased considerably due to the variety of chemical processes on the planets, including in different gaseous and liquid media.




Fig. 1. Unfolding of Big History (Megaevolution). Phases and lines of Big History

The scheme (see Fig. 1) demonstrates the unfolding of Big History, the structure of which consists of ten phases – five major phases and five transitional ones. On the left one can see the line of chemical evolution.

Periodization of Chemical Evolution

We distinguish the following sequence of stages of chemical evolution before the origin of life:

- 1) the formation of atoms of the first elements (hydrogen, helium, and lithium);
- 2) the formation of atoms of heavier substances up to iron;
- 3) the formation of atoms of elements heavier than iron;
- 4) the formation of simple compounds (inorganic and organic).

However, it is important that the second and third stages could take place in parallel with the fourth one, but in different environments: the second and third stages in stars, while the fourth one in less hot environment.

5) the formation of compounds associated with the formation of minerals on planets;

6) synthesis of more complex organic compounds like nucleotides taking place already on the Earth;

7) synthesis of more complex substances and polymers, including proteins, not yet capable of replication; and

8) synthesis of replicators and substances associated with the origin of life.

Now let us consider the correlation between chemical evolution and Big History.




Fig. 2. Chemical evolution as a peripheral and parallel line of Big History

The Distinctive Features of Chemical Evolution from Other Forms of Evolution in Big History

Figs 1 and 2 show the important features of chemical evolution which distinguish it from other forms of evolution. These features are as follows:

1. All other forms of evolution are separate phases of Big History. Thus, one form of evolution, having been realized at a certain phase of Big History, is replaced by another form.

2. However, chemical evolution goes parallel to the course of Big History. More precisely, it co-evolves with different phases of Big History as a constituent part of each of them. Thus, one can see that chemical evolution acted as a part of a co-evolutionary tandem at all phases of Big History (see Fig. 3).

Let us now briefly consider the development of chemical evolution in its relation to the phases of Big History.

Chemical evolution after the Inflationary phase appears as a part of the Pre-stellar phase. I have pointed out above that chemical evolution began in pre-stellar clouds. But it was still pre-chemical evolution.

The star-galaxy phase, which includes the formation of planets outside the Solar System, corresponds to Cosmochemical evolution. It is during this phase that the first chemicals are formed. Thus, a new qualitative stage in the development of chemical evolution (where the temperature was much more favourable for chemical reactions than in stars), began on ancient planets. However, we know practically nothing about this evolution.

With the formation of the Solar System and the beginning of the Planetary phase, one can talk about the Planetary chemical evolution since we know quite a lot about chemical processes and substances on the planets of the Solar System.




Fig. 3. Chemical evolution on the Earth and its increasing evolutionary role. Phenomenon of co-evolutionism

The formation of the Solar System means that the main line of Big History begins to focus on the Earth, where geological processes begin. Finally, on the Earth, chemical evolution developed first as a part of geological and then as a part of biological evolution. This development is still ongoing.

Thus, for the first time, chemical evolution moves to the center of evolutionary development at the level of chemical abiogenic phase (see Fig. 3). In this phase the role of chemical evolution rapidly increases to the level of a transitional phase.

The period between the formation of the Earth and the emergence of life was pivotal for the whole Big History, and at the same time, the least known and the most obscure. During this period chemical evolution was integral and interrelated with geological, mineralogical and biological evolution. It was the co-evolutionary tandem mentioned above.

From the Abiogenic Phase to the Origin of Life

Strengths and Weaknesses of Evolutionary Hypotheses about the Origin of Life

There are various hypotheses about abiogenic chemical evolution and the origin of life including the so-called RNA world. Although some progress has been made in many respects, especially in the last fifteen years, none of them seems to be completely satisfactory yet. This is mainly due to the extreme complexity of the problem itself. But from the point of view of evolutionary theory, the weaknesses of these approaches are in the following points:

1. They deliberately or involuntarily reduce evolution to one of its lines.
2. They take one evolutionary mechanism as the main one in all cases.
3. The achievements of later periods, already related to the biological phase, are extrapolated to the abiogenic phase.

We believe that the possibility of a major breakthrough exists only if there are a number of different development lines and paths. Moreover, each of these lines is limited and usually develops only one mechanism or innovation. But these lines compete and complement each other. As a result, there comes a time when the innovations of different lines are merged and formed into a fundamentally new system. This means the beginning of a powerful breakthrough to a new level of complexity. However, the beginning of such a breakthrough, after the formation and development of the new level is difficult or even impossible to detect. This corresponds to the important idea of Pierre Teilhard de Chardin (1987) that transitional forms leave no visible material traces. We have also formulated the rule of archaic character of primary systems. Systems do not emerge in the mature form. They usually require several transformations to reach maturity and sustainability, including cycles of destruction and reforming. Primary systems as a rule look archaic and are unlikely to survive.

Therefore, the first pre-living systems (the so-called protobionts) should not be considered as direct ancestors of the first living organisms, but as their

analogues. These analogues were already comparable to the most primitive living systems in a number of functions. But in general they were organized differently (it is now extremely difficult to say how exactly). In addition, one should also take into account that the conditions on the young Earth were peculiar. Consequently, such structures could have formed, but modern scientists are unlikely to believe in their existence until concrete facts are available.

The Evolutionary Directions of Abiogenic Organic Substances

Thus, one can argue that the evolution of abiogenic organic substances occurred in the following different directions:

- a) increasing complexity of chemical compounds and structures;
- b) increase in energy output and reaction rate;
- c) selection of elements and compounds according to certain parameters;
- d) concentration of substances;
- e) the ability of complex compounds and proto-organisms to expand and grow fast.
- f) the selectivity and recognition of some substances by others, according to the important evolutionary pattern for self and non-self discrimination.

The Most Important Pre-Adaptations for the Beginning of Biological Evolution

The important pre-adaptations are worth special mentioning. The most important ones for the beginning of biological evolution are:

- 1) creation of a system isolated from the external environment, in which constant cycles of chemical and biochemical reactions could take place;
- 2) constant maintaining of conditions, concentrations, energy balance, the desired rate of reactions within this isolated environment, *etc.*;
- 3) effective responses to external conditions and stimuli;
- 4) replication (*i.e.*, the ability to reproduce);
- 5) preservation without major distortions of the initial code;
- 6) control of complex chemical processes through the use of increasingly advanced catalysts and substances;
- 7) autocatalysis and the ability to self-assemble.

These breakthroughs and pre-adaptations laid the foundation for biochemical synthesis and expansion. Especially important were the ability to store energy, and the ways to speed up reactions and to increase the concentration of a substance. Along with this, a new type of information (chemical and biochemical) emerged, which reached a very significant development later in biological evolution.

These and other achievements, of course, could not combine immediately and simultaneously. They combined much later when the basic mechanisms of life and the living cell were formed.

The primary conditions after the origin of the Earth were unique. Without them the transition to the emergence of pre-life and then life was impossible.

Will these unique conditions ever be precisely known? Probably, they will not. But in any case, there must have been an abundance of available energy. Consequently, the fundamental difference between abiogenic chemical evolution and the previous stages of evolution was *the acquisition of the ability to store energy through chemical transformation during a system's lifespan and to use it for its own benefit*.

Protoviruses

There may have been one more intermediate phase between the abiogenic chemical and biological phases – the phase of protoviruses (see Fig. 4; about viruses see Grinin A. L. 2023 in this volume).

Below we will show the possible place of this phase in the megaevolutionary process. One should take into account that chemical reactions played a great role in the origin and development of protoviruses.




Fig. 4. Evolutionary phases of Big History including the phase of protoviruses

Conclusive Remarks

For a long time, the abiogenic organic chemical evolution was only lateral and marginal in the general flow of inorganic chemical evolution. Then it was able to advance to a new level of evolution, *i.e.*, to life, taking place in a complex co-evolutionary movement. Abiogenic chemical evolution was involved in a whole bundle of evolutionary developments: geological, mineralogical, and geochemical. Thus, one can assume that initially one of the most important directions of chemical evolution was the integration of protobionts into geochemical processes, such as sulphur springs, and the development of the ability to use these processes for one's own benefit.

Thus, gradually abiogenic chemical evolution gained momentum.

However, the role of chemical evolution remained very important. It again becomes a part of a larger – the biological – phase. In the scheme of the phases of Big History, we do not trace a further development of chemical evolution, but one should remember that it has also become an important component of social evolution, which can be called sociochemical. At the same time, its importance begins to appear already in the phase of anthropogenesis, from the moment when humans learned how to control fire. It is widely known that there is no point in talking about the further role of chemical evolution in the social phase of Big History, it is widely known. Nevertheless, one can argue that neither technology nor ordinary life would be possible without continuous efforts to master new chemical substances and reactions.




Fig. 5. Sociochemical evolution




Fig. 6. The complete line of chemical evolution from the Big Bang to social evolution

References

- Bernal J.** 1969. *The Emergence of Life*. Moscow: Mir. *In Russian* (Бернал Дж. *Возникновение жизни*. М.: Мир).
- Betekhtin A. G.** 2007. *Mineralogy Course*. Moscow: KDU. *In Russian* (Бетехтин А. Г. *Курс минералогии*. М.: КДУ).
- Degens E., and Roiter J.** 1967. *Analytical Methods of Research in Organic Geochemistry. Organic Geochemistry*. Moscow: Nedra. *In Russian* (Дегенс Э., Ройтер Дж. *Аналитические методы исследования в органической геохимии. Органическая геохимия*. М.: Недра).
- Dickerson R.** 1981. Chemical Evolution and the Origin of Life. *Evolution* / Ed. by E. Mayr, F. Ayala, R. Dickerson *et al.* Moscow: Mir. *In Russian* (Дикерсон Р. Химическая эволюция и происхождение жизни. *Эволюция* / Ред. Э. Майр, Ф. Айала, Р. Дикерсон и др. М.: Мир).
- Dobretsov N. L.** 2005. On the Early Stages of Origin and Evolution of Life. *Vestnik VOGiS* 9(1): 43–54. *In Russian* (Добрецов Н. Л. О ранних стадиях зарождения и эволюции жизни. *Вестник ВОГиС* 9(1): 43–54).
- Dobrovolsky V. V.** 2003. *Fundamentals of Biogeochemistry*. Moscow: Akademiya. *In Russian* (Добровольский В. В. *Основы биогеохимии*. М.: Академия).
- Galimov E. M. (Ed.)** 2008. *Problems of Biosphere Origin and Evolution*. Moscow: LIBROCOM. *In Russian* (Галимов Э. М. (Ред.). *Проблемы зарождения и эволюции биосфера*. Сборник науч. работ. М.: ЛИБРОКОМ).
- Glyantsev A.** 2019. A Crucial ‘Molecule of Life’ Has Been Discovered in the Interstellar Medium for the First Time. URL: <https://nauka.vesti.ru/article/1152892>. *In Russian* (Глянцев А. В межзвездной среде впервые обнаружили важнейшую «молекулу жизни». URL: <https://nauka.vesti.ru/article/1152892>).
- Grinin L. E.** 2013. *Big History of the World Development: Cosmic Evolution*. Volgograd: Uchitel. *In Russian* (Гринин Л. Е. *Большая история развития мира: космическая эволюция*. Волгоград: Учитель).
- Grinin L. E.** 2017. *Big History of the World Development: History and Evolution of the Solar System*. Moscow: Uchitel. *In Russian* (Гринин Л. Е. *Большая история развития мира: история и эволюция Солнечной системы*. М.: Моск. ред. изд-ва «Учитель»).
- Grinin L. E.** 2018. Evolution of the Early Solar System in Terms of Big History and Universal Evolution. *Journal of Big History* 2(1): 15–26. URL: <http://lowellgustafson.com/2018/01/>.
- Grinin L. E.** 2020. *Big History of the World Development: Planets of the Solar System. Their History and Evolution. Chemical Evolution in Space and on Earth*. Moscow: Uchitel. *In Russian* (Гринин Л. Е. *Большая история развития мира: планеты Солнечной системы. Их история и эволюция. Химическая эволюция в космосе и на Земле*. М.: Московская редакция изд-ва «Учитель»).
- Grinin L., and Grinin A.** 2019. The Star-Galaxy Era in Terms of Big History and Universal Evolution. *Journal of Big History* III(4): 69–92.

- Guotmi A., and Cunningham R. 1960.** The Action of Crystal Facet in Catalysis. *Catalysis. A Study of the Surface of Catalysts*, pp. 74–117. Moscow: IL. In Russian (Гуотми А., Каннингем Р. Действие кристаллической грани в катализе. *Катализ. Исследование поверхности катализаторов*, с. 74–117. М.: ИЛ).
- Haldane J. B. S. 1949.** *What is Life?* London: Lindsay Drummond.
- Kalvin M. 1971.** *Chemical Evolution. Molecular Evolution Leading to the Emergence of Living Systems on Earth and Other Planets.* Moscow: Mir. In Russian (Кальвин М. Химическая эволюция. Молекулярная эволюция, ведущая к возникновению живых систем на Земле и на других планетах. М.: Мир).
- Kamshilov M. M. 1970.** *Biotic Cycle.* Moscow: Nauka. In Russian (Камшилов М. М. Биотический круговорот. М.: Наука).
- Kamshilov M. M. 1979.** *Evolution of the Biosphere.* Moscow: Nauka. In Russian (Камшилов М. М. Эволюция биосферы. М.: Наука).
- Lima de Faria A. 1991.** *Evolution without Selection: Autoevolution of Form and Function.* Moscow: Mir. In Russian (Лима-де-Фария А. Эволюция без отбора: Автоэволюция формы и функции. М.: Мир).
- Lyons T. W., Reinhard C. T., and Planavsky N. J. 2014.** The Rise of Oxygen in Earth's Early Ocean and Atmosphere. *Nature* 506: 307–315.
- Rudenko A. P. 1969.** *Theory of Self-Development of Open Catalytic Systems.* Moscow: MSU. In Russian (Руденко А. П. Теория саморазвития открытых катализитических систем. М.: Изд-во МГУ).
- Spiridonov V. 2019.** *The Origin of Life on Earth: A Proven Theory or an Unsolved Mystery.* In Russian (Спиридонов В. Происхождение жизни на Земле: доказанная теория или нераскрытая тайна. URL: <https://ria.ru/20180518/1520873401.html>).
- Teilhard de Chardin P. 1987.** *The Phenomenon of Man.* Moscow: Nauka. In Russian (Тейяр де Шарден П. Феномен человека. М.: Наука).
- Zaguskin S. L. 2014.** Emergence and Evolution of Life from the Position of Chronobiology. *Prostranstvo i vremya* 3(17): 275–282. In Russian (Загускин С. Л. Возникновение и эволюция жизни с позиции хронобиологии. *Пространство и время* 3(17): 275–282).
- Zavarzin G. A. 2003.** The Formation of the System of Biogeochemical Cycles. *Paleontologicheskiy zhurnal* 6: 16–24. In Russian (Заварзин Г. А. Становление системы биогеохимических циклов. *Палеонтологический журнал* 6: 16–24. URL: <http://evolbiol.ru/zavarzin 2003.htm>).